MISSISSIPPI STATE DEPARTMENT OF HEALTH 2013 JUN 10 AM 9: 43 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012

	TOWN OF BEAUMONT Public Water Supply Name
	0560001 List PWS ID #s for all Community Water Systems included in this CCR
The Consyst cust of e	Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a sumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water tem, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the tomers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please ock all boxes that apply.
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
	Date(s) customers were informed: 05/23/201,3 / / , / /
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed:/_/
	CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Richton Dispatch
	Date Published: 05 /23 /2013
	CCR was posted in public places. (Attach list of locations) Date Posted: / /
	CCR was posted on a publicly accessible internet site at the following address (<u>DIRECT URL REQUIRED</u>):
I he bubl he S he Dep	reby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this lic water system in the form and manner identified above and that I used distribution methods allowed by SDWA. I further certify that the information included in this CCR is true and correct and is consistent with water quality monitoring data provided to the public water system officials by the Mississippi State artment of Health, Bureau of Public Water Supply. **Description** **Description** **Date** **Date**

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

2012 Annual Drinking Water Quality Report Town of Beaumont PWS#: 0560001 May 2013

2013 MAY 28 PM 2: 27

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Miocene Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Beaumont have received moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact David Hinton at 601.964.0482. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 7:00 PM at 1510 Beaumont Brooklyn Rd.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water TEST RESULTS Contaminant Violation Range of Detects or Date Level Unit **MCLG** MCL Likely Source of Contamination Y/N Collected Detected # of Samples Measure Exceeding -ment MCL/ACL Microbiological Contaminants 1. Total Coliform Ν July Positive NA 0 presence of coliform Naturally present **Bacteria** bacteria in 5% of in the environment monthly samples Radioactive Contaminants

5. Gross Alpha	N	2012	5.9	1 5.9	pCi/L		0	15	Erosion of natural deposits
Inorganic	Conta	minants							
10. Barium	N	2011*	.06	No Range	ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11*	.4	0	ppm		1.3	AL≃1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011*	.24	No Range	ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11*	2	0	ppb		0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Volatile O	rganio	: Contami	nants						
56. Carbon tetrachloride	N	2012	.647	No Range	dqq	ppb 0		5	Discharge from chemical plants and other industrial activities
Disinfection	n By-	Products							
Chlorine	N	2012 .	4	.044	mg/l 0 MDRL =			Water additive used to control microbes	

^{*} Most recent sample. No sample required for 2012.

Microbiological Contaminants:

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We took four samples for coliform bacteria during July 2012. One of those samples showed the presence of coliform bacteria. The standard is that no more than 1 sample per month of our samples may do so. We did not find any bacteria in our subsequent testing and further testing shows that this problem has been resolve.

Significant Deficiencies- <u>During a sanitary survey conducted on 9/27/2012</u>, the Mississippi State Department of Health cited the following <u>significant deficiency</u>. Inadequate internal cleaning/maintenance of storage tanks.

<u>Corrective actions</u>: This system has entered into a Bilateral Compliance Agreement with MSDH to correct this deficiency by 7/01/2014.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The Town of Beaumont works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. Please note: CCR report will not be mailed to customers. You may pick up a copy at town hall, Monday-Friday between the hours of 9:00 AM – 4:00 PM.

⁽¹⁾ Total Coliforms. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

2013 JUN 10 AM 9: 43

PERSONALLY appeared before me, the undersigned Notary Public in and for Perry County, Mississippi, Larry A. Wilson, an authorized representative of The Richton Dispatch, a weekly newspaper as defined and prescribed in Sections 13-3-31 and 13-3-32 of the Mississippi Code of 1972, as amended, who being duly sworn, stated that the notice, a true copy of which hereto attached, appeared in the issues of said newspaper as follows:

		•	
Vol. 10	8 No. <u>6</u>	Date May 23	, 20 <u>13</u>
Vol	No	Date	, 20
Vol	No	Date	, 20
Vol	No	Date	, 20
Vol	No	Date	, 20
		Date	
	Published	1 times	
	Гоtal\$_		-
Signed	Ja	ing quelson	
	Authorized	Representative of	

The Richton Dispatch

SWORN to and subscribed before me the	28 day of May 20 13
CLARETT COST	
NOTARY PUBLIC SPAN Expires	Notary Public WECHAN

2013 JUN 10 AM 9: 44

7011

Any in pleased to present to you this year's Annuel Qualify Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal as to provide you with a safe and dependant supply of dirthting water. We want you to understand the efforts on make to continually introve the water the harmonic posses and protect our water resources. We are committed to enough go quality of your retent course is from week drawing from the Moseme Aculter.

The sound writer assessment has been completed for our public veter system to determine the owned selectively of its drinking veter supply to identified potential sounded of contamination. A report containing detailed information on how the subceptibility determinations verificated by the been furnished to our public veter system and is explicitly for travering sport integers. The week for the Town of Beaumont have received independent busingship reliating to content-easier.

If you have any questions about the report of concerning your water stilly, please contact Devid Hinton at \$01,064,0432. We want our valued outstoners to be informed about their water utility. If you went to beam more, please island any of our requisity scheduled meetings, They are hald on the first Tuesday of the month at 7:00 PM at \$150 Beaumont Bootshyn RG.

held on the first Tuesday of the month at 7.00 PM at 1910 Securiori Bodowyn RG.

We notifiely morphic fair constituents in your densing leaves a constituents that there is not the stricting water constituents that there is described using the point of January 17 to December 317, 2012. In cases when morpholing wearn required in 2012, the table reflects the most score inserts and any term of January 18 to December 317, 2012. In cases when morpholing wearn required in 2012, the table reflects the most score inserts and water travels over the europea of land or underground, it dissolves naturally occurring members and, in justice seeds a profession of any time to the profession of any time for from the most activity. Information containment, such as a violet and the profession of any time for from them as officing, information of widdle; progression constrainment, such as a set any time as a set and the material occurring or tests from the member occurring or result from under some some profession. In closestical, or domestic vession of the second occurring or the set from under some some profession of the containment in closely any time of some second or sections, and one second heritoides, which are by-jectices of industrial processes and petricises production, and can also come from gas statisfies and violate organic observation containments, including any time of the containment of the second of cartain contaminates in water provided by profession systems; and advantage of the second of cartain contaminates in water provided by profession water provided by profession water in sette to drive, EPA proportions regulations that time the ancount of cartain contaminates in water provided by profession water provided by profession water to contain a least sensitive of second part of the provides of profession water provided by profession water provided by profession water to contain a least sensitive of second part of the part of the contain of cartain containments. The water provides of profession water provided by p

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms provided the following definitions:

Author Level - the concentration of a contemperativition, if exceeded, trappers treatment or other requirements which a water system must follow

Mandman Contembrant Level (MCL) - The "Mackman Alcower" (MCL) is the highest level of a contaminant that is skowed in drinking water, MCLs are set as close to the MCLGs as feasible using the best available freetment technology.

Measurement Contaminated Lased Good (MCLO) - The "Oper (MCLO) is the level of a contaminant in thicking weisr below which the or expected that to health, MCLOs allow for a mergin of safety.

Markinum Residual Distriction Level (MRDL) — The highest level of a distriction aboved in stricting water. There is convincing addition of a distriction is necessary for control misrobial contominants.

Meximum Residual Claimin clant Level Goal (ARDLG) - The level of a drinking water desirfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of distinfectants to control inferobal contaminants.

Herte per million (opm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (opb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per filer (oCld.) - picocuries per liter is a manager of the material during the continued of the material during the continued of the material during the continued of the continued

	ur ja Nagarij		194 IP 2 Tree	ayan Mariki	43.458				
Contaminant	Violation VAN	Date Consisted	Leve! Detected	Range of Detects or # of Samples Exceeding	Unit Hereure mont	MCLG	MCL	Likely Source o	Contemination
	gical Co	ontamin	ants		·				
1. Total Conform Basteria	N	July	Positive	1	NA .	0	. be	cleria in 5% of	Naturally present in the environment
V/N Coboded Describe Interest in terrest of terrest in terrest of terrest in terrest of terrest in terrest in terrest in terrest in terrest in the second in the second in terrest in the second in terrest in the second in the									

5, Gross Alpha	N	2012	5.9	1-0.0	pC//L	0	15	Erosion of natural deposits
Inorganic (ontin	inants	:					
10. Berium	N.	2011*	.on	No Range	ppm.	2	.2	Discharge of drilling wastes; discharge from metal relineries; erosion of natural deposits
14. Copper	N	2009/11*		• 2000 - 1000 -	ppm	1.3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
18. Fluoride	N M	2611*	, 24	No Range	ppm		52700	Erosion of natural deposits; water additive which promotes strong seath; discharge from fertilizer en- stuminum factories
17. Load	N	2009/11	2	0	pob	0	AL16	Conneton of household plumbing systems, erosion of natural deposits
Volatile Or	ganic (ontami	nants	N. S.	- 1,500			
68. Carbon tetrachioride	N	2012	.547	No Flange	ppb	a	5	Discharge from chamical plants : and other industrial activities
Disinfection	By-Pr	oducts	4.					
Chlorine	N	2012	4 0	44 mg/i		0 MD		Water additive used to control nitrobes

Mari reconst comple. No semple required for 2012.
Marchiteles and Commissions:
(0) That Colline, Collines are beautiful that are statutably present to be environment and are used as as indicator that other, potentially no present, Collines were bound by more semples than although and this was a weeking of potential problems.

We are required to monitor your difficking weter for apecific conteminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our directing water meets health alandaries. We took four semples for colform bacteris during July 2012. One of those samples showed the presence of colform bacteris. The standards is that no most than it sample per month of our samples may do no. We did not find any bacteria in our subsequent leasing and further leating shows that this problem has been resolve.

Significant Certiciencies: <u>During a santiant sumpty conducted on ili27/2013, the Mississical State Department of Heath, cred the loted plantificant deficiency, indedquets infarral clearing/missicanance of storage trans.</u>

Schreider Beging. This a stein the acredict first a Salteral Complaince Agreement with MSCH to correct this deficiency by 7/01/2014.

If present, elevated levels of lead can cause serious hearth problems, especially for pregnant women and young chicken. Lead in drinking water is primarily from materials and components associated with service levels and home purposition. Our Water Association is responsible for providing high quality drinking weeker, but cannot control the variety of materials used in primiting components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your lap for 30 seconds to 2 minutes hefore using water for drinking or cooking, if you are concerned about lead in your water, you may within to here your water teeds. Informative rested in the proposition of the cooking if you are concerned about lead in your water, you may within to here your water teeds. Informative rested in the proposition of the propos

All sources of dribling water are subject to potential contamination by substances that are naturally occurring or man made. These substances own be microbes, increased or organic chemicals and nationative substances. All dribling water, including bottled water, may reasonably be expected to contain at least small amounts of some contentivaries. The presence of contamination occurrences are not necessarily induced that the water potent a health micro. More increased and protection have been possible to contain a containing the Environmental Protection Againay's Gafe Diristing Writer Holling at 1-80X-426-4791.

Some people may be more subnerable to conteminants in dricking water than the general population, immune-compromised persons such as persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some detergoing othermore who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some detergoing other immune system disorders, some detergoing and infants can be particularly at risk from injections. These people should seek advice about directing water from their health erar providers; EAPACDC pulsationes on appropriet means to ideason the risk of infection by cryptospondium and other microtibilogistic contaminants are available iron the Safe Drinking Water Hotiline 1-800-426-4791.

In accordance with the Rasionucidas Rule, at community public water supplies were required to sample quarterly for radionucidas beginning Jahuany 2007 — December 2007, You public water supplies were required to sample quarterly for radionucidas beginning Jahuany 2007 — December 2007, You public water supplies were required to sample quarterly for radionucidas beginning Mississappi State Department of Health Radio optical Health Laboratory, the Emmerciantal Protection Appropriately States and States of the Radionucidad Companies assayles and requires the Amount of the result of faceton by the public water supply, MSDH was required to asset a Volation. This is to notify you that as of this data, your value system has completed the molitoring Compliance At Enforcement, Bureau of Public Water Supply, et of 1, 167 (et al., 1976).

The Town of Basumoni wrisks around the clock to provide top quality water to every tap. We ask that as our customers help us protect our water sources, which set the heart of our contributify, our very of life and our children's future. Please note: CCR report will not be mailed to customers. You may pict us a copy at form his Infordats-Pictary between the house of \$0.00 AM = <0.00 PM.